

Big Block Pineapple Quilt

Fabric Requirements For 20 Block Quilt

Approximately

Accent Fabric: 1.5 yard

Light Fabric 1: 2 yards

Light fabric 2: 2 yards

Dark Fabric 3: 2.5 yards

Dark Fabric 4: 2.5 yards

Cutting For One Block

- 1 - 3.5" square (accent)
- 2 - 2" x 3.5" rectangles (light)
- 2 - 2" x 6.5" rectangles (light)
- 2 - 2" x 5" rectangles (dark)
- 2 - 2" x 8" rectangles (dark)
- 4 - 2" x 5" rectangles (light)
- 4 - 2" x 6.5" rectangles (dark)
- 4 - 2" x 6" rectangles (light)
- 4 - 2" x 7.5" rectangles (dark)
- 4 - 2" x 7.5" rectangles (light)
- 4 - 2" x 9" rectangles (dark)
- 2 - 6" squares cut on diagonal (accent)



Cutting For Twenty Blocks

- 20 - 3.5" square (accent)
- 40 - 2" x 3.5" rectangles (light)
- 40 - 2" x 6.5" rectangles (light)
- 40 - 2" x 5" rectangles (dark)
- 40 - 2" x 8" rectangles (dark)
- 80 - 2" x 5" rectangles (light)
- 80 - 2" x 6.5" rectangles (dark)
- 80 - 2" x 6" rectangles (light)
- 80 - 2" x 7.5" rectangles (dark)
- 80 - 2" x 7.5" rectangles (light)
- 80 - 2" x 9" rectangles (dark)
- 40 - 6" squares cut on diagonal (accent)

Block Assembly

Round One

Take one 3.5" accent square and sew a 2" x 3.5" rectangle to opposite sides. Press the seams. Next sew a 2" x 6.5" rectangle to opposite sides of the accent square. Press the seams.



Trim Round One

Line the 45 degree angle on your ruler up with the seam along the accent square. Along the corner of the block you plan to trim make sure you leave a 1/4" for seam allowance. Once everything is lined up you can cut off the corner. Follow these steps for each side. Notice that after you trim the first side you will have a straight line you can use to help line up your ruler and ensure you are straight.

(If you do not have a 45 degree angle on your ruler I give further tips for trimming in my Youtube video tutorial)




Round Two

Sew a 2" x 5" rectangle to opposite sides of the block. Press the seams. Next sew a 2" x 8" rectangle to opposite sides of the block. Press the seams.



Trim Round Two

Line up the 1.75" line on your ruler along the seam of the accent square and trim. Repeat along each side.




Round Three

Using four 2" x 5" rectangles sew one along each trimmed side of the block. Press each seam.



Trim Round Three

Line up the 1.75" line on your ruler along the seam of the previous round and trim. Repeat along each side



Round Four

Using four 2" x 6.5" rectangles sew one along each trimmed side of the block. Press each seam.



Trim Round Four

Line up the 1.75" line on your ruler along the seam of the previous round and trim. Repeat along each side




Round Five

Using four 2" x 6" rectangles sew one along each trimmed side of the block. Press each seam.



Trim Round Five

Line up the 1.75" line on your ruler along the seam of the previous round and trim. Repeat along each side



Round Six

Using four 2" x 7.5" rectangles sew one along each trimmed side of the block. Press each seam.



Trim Round Five

Line up the 1.75" line on your ruler along the seam of the previous round and trim. Repeat along each side




Round Seven

Using four 2" x 7.5" rectangles sew one along each trimmed side of the block. Press each seam

Trim Round Five

Line up the 1.75" line on your ruler along the seam of the previous round and trim. Repeat along each side




Round Eight

Using four 2" x 9" rectangles sew one along each trimmed side of the block. Press each seam

Trim Round Five

Line up the 1.75" line on your ruler along the seam of the previous round and trim. Repeat along each side



Round Nine

Use two 6" accent squares that were cut in half along the diagonal to create 4 triangles. Sew a triangle along each trimmed side of the block. This will create a square. Press each seam.



Trim Round Five

Line up the 1.5" line on your ruler along the seam of the previous round and trim. Repeat along each side. You will now have a 16" square!




Quilt Top Assembly

To finish the quilt top sew the blocks in each row together. Press the seams for each row in opposite directions.

QUILT TOP ASSEMBLY

PRESSING THE ROWS



Finishing the Quilt

Baste, Bind and Quilt as desired.